## 

## CEPORT FILE \_[E0H > F, > BOFF FAF ALLES ATABLAN, and an and a state of the state of

the solution of the second state of the solution of the soluti Here and the second 

and single from the solution of the strength of and the entropy of deputies and adaptive set of the set a englista da engla presidente de l'esta. Referencia de la contra de la con

CIMENUM PROPERTY AND

na oraș de secondare a secondarea Agradul de secondare de secondarea de secondarea de secondarea de secondarea de secondarea de secondarea de sec New weight the subject of the second COLUMN TO THE

in the second second

Calific Land, Al-Pressent Doubles Calific and states for some some states 

the last <del>taken built (an</del> 19 st Main Liber orthogon personal and the THE PROVIDE HERE AND THE ALL PRODUCTS AND ADDRESS OF THE PROVIDENCE OF THE PROVIDENC



A search a letter source of the second states The there are a set of the second tow from the whether a branches and received, respectively through the second second

80

10710

25 exhietes, we intend to suggest that chooseof normal philipping. We have to easy on a

San Alexandre de La Constante de 2016 1924 Ban Alexandre des Societs Astronomica (1926 1924)

- Maker and the Annual State of t

And Annual in American Providence in America

ful in 25 cases only

The Karyolygin analyzin myoaled 17 fe-

## I shilt T

## Frequency Bisicibotics of Sec of the Foster from CVS

		140
	Fermite (46, X3Q Male (46, XY)	

Investigate an exclusion exect from by preleveryles of any brings to have the exect on pulltade to approximate entryletions and their influence during fortal seconds.

ACENCERLERCERMENT

The mathematic grade in the Hill K. December Problematic and Thread, December of Constant Decision line in the mathematic for the Differ Judy for all the body contracted. And for all the body contracted.

(Dirich to 20 mices (Diric II) Abrenitions observed included weathic fragment (Fig. 1) in 25% entry with fragmency of 10.08% etchmultic incuk in 5% entry with a frequency of 25%, cheromonust break in 4% erges with and 5%% etchemannet break in 5%% and 4% 7.5%% fragmency while whomesonal and the multi gaps were found in 26% and 4% requiring the fragmency of 8.70% and 6.67% trappenticely. The second strappenticely of 6.60% trappenticely. Fragmency of 8.70% and 6.67% trappenticely. Fragmency of 8.70% trappenticely. Fragmency of 8.70% trappenticely. Fragmency of 8.70% trappenticely. Frag

It must be coupliarized that all the shows incommunally abstract CVS were from them nothers, except two, whe delivated normal subirs. Although car data is based on only of subjects, we intend to suggest that chromoomal thermitions encountered in direct studies on CVS may not be influencing on the birth of sound ehildnes. We have to carry on a tody on farmer anyoles and will tave to